CHEMINAX

100 OHM, AWG 28, RADIO FREQUENCY. 7 STRANDS OF AWG 36, TWIN CONDUCTOR CABLE

Date: Revision:

01-11-02

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

CONSTRUCTION DETAILS

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE DESIGNATED.

.015 .031

±.002

.079

.095

CONDUCTORS

AWG 28, 7 Strands of AWG 36, Silver-Coated High Strength Copper Alloy

DIELECTRICS

Rayfoam® L

Colors - Tan / White

SHIELD

AWG 38 Tin-Coated Copper

JACKET

Radiation-Crosslinked, Modified PVF₂

Outer jacket will be white (designated by a "-9" appended to the part number, e.g., 0028G1214-9) unless otherwise specified.

Designate outer jacket color with a dash number in accordance with MIL-STD-681.

ELECTRICAL CHARACTERISTICS

CHARACTERISTIC IMPEDANCE

100 ± 5 ohms, Method C at 1 MHz

CAPACITANCE - MUTUAL

14.9 pF/ft. (nominal)

VELOCITY OF PROPAGATION

73% (nominal)

ADDITIONAL REQUIREMENTS

ELECTRICAL

CONDUCTOR RESISTANCE **INSULATION RESISTANCE**

74.0 ohms/1000 ft. (nominal) 10,000 megohms (minimum)

for 1000 ft.

Method B

JACKETFLAWS SPARKTEST

1.0 kv (rms) **IMPULSETEST** 6.0 kV (peak) **VOLTAGE WITHSTAND**

(DIELECTRIC)

1000 volts (rms) (minimum)

ENVIRONMENTAL

FLAMMABILITY HEAT SHOCK

LOW TEMPERATURE-

COLD BEND

VOLTAGE WITHSTAND

(POST ENVIRONMENTAL)

225°C -55°C/2.75 inch mandrel

1000 volts (rms), 1 minute

PHYSICAL

INSULATION (DIELECTRIC)

(Prior to Cabling)

ELONGATION TENSILE STRENGTH

JACKET

ELONGATION

TENSILE STRENGTH JACKET THICKNESS SHIELD COVERAGE

50% (minimum)

1000 lbf/in2 (minimum)

200% (minimum)

4000 lbf/in2 (minimum) .008 inch (nominal)

90% (minimum)

WEIGHT 6.4 lbs/1000 ft. (nominal)