APPLICA		TANDARD								
RATING TEMPERATURE VOLTAGE		TING RATURE RANGE	100C TO 1050C		PLICABLE BLE		Ф8.5±0.3			
		GE	250 V AC CUR			RRENT 1 A				
			SPECI	IFIC/	OITA	NS				
ľ	TEM		TEST METHOD				REQ	UIREMENTS	QT	АТ
CONSTR	RUCTION	NC				•				
GENERAL EXAMINATION		ON VISUALI	VISUALLY AND BY MEASURING INSTRUMENT.			ACCORDING TO DRAWING.				X
MARKING		CONFIR	CONFIRMED VISUALLY.						X	X
ELECTR	IC CH	ARACTER	ISTICS			•				
CONTACT RESISTANCE		E 20 r	20 mV MAX, 10 mA (DC OR 1000 Hz).			BETWEEN CONTACT: 70 m Ω MAX. BETWEEN SHELL: 10 m Ω MAX				X
INSULATION	INSULATION RESISTANCE		250 V DC.			1000 MΩ MIN.			Х	X
VOLTAGE PROOF		500 ∨	500 V AC FOR 1 min.			NO FLASHOVER OR BREAKDOWN.			X	X
MECHANIC	AL CHAF	RACTERISTICS	3			•				
INSERTION A	AND	MEASU	RED BY APPLICABLE CONNECT	OR.		INSERT	ION FORCE	58.8 N MAX.	X	-
WITHDRAWA	AL FORCE	S				EXTRACTION FARCE 14.7 N MIN.				
MECHANICAL OPERATION			500 TIMES INSERTIONS AND EXTRACTIONS.			1) CONTACT RESISTANCE: 70 mΩ MAX. SHELL RESISTANCE: 10 mΩ MAX. 2) NO DAMAGE, CRACK AND LOOSENESS OF PARTS.			x	_
VIBRATION			FREQUENCY 10 TO 500 Hz SINGLE AMPLITUDE 0.75 mm, 98 m/s ² AT 3h FOR 6 DIRECTIONS.			1) NO ELECTRICAL DISCONTINUITY OF 1μs. 2) CONTACT RESISTANCE: 70 mΩ MAX. SHELL RESISTANCE:10 mΩ MAX 3) NO DAMAGE, CRACK AND LOOSENESS			×	_
SHOCK			490 m/s ² DIRECTIONS OF PULSE 11 ms AT 3 TIMES FOR 3 DIRECTIONS.			OF PARTS.			Х	_
ENVIRO	NMEN	TAL CHAF	RACTERISTICS							
RAPID CHANGE OF TEMPERATURE DAMP HEAT/ CURRENT CARRYING		TIME UNDER MATED IN SERII TEMPEF DC 0.5A LEAVE /	TIME $30 \rightarrow 5 \rightarrow 30 \rightarrow 5$ min. UNDER 10 CYCLES. MATED CONNECTOR WITH CONTACTS CONNECTED			 CONTACT RESISTANCE: 70 mΩ MAX. SHELL RESISTANCE: 10 mΩ MAX. INSULATION RESISTANCE: 1000 MΩ MIN. NO FLASHOVER OR BREAKDOWN. NO DAMAGE, CRACK AND LOOSENESS OF PARTS. 				_
DRY HEAT/ CURRENT CARRYING		IG IN SERII TEMPEF DC 0.5A LEAVE / TESTING	MATED CONNECTOR WITH CONTACTS CONNECTED IIN SERIES. EXPOSED WITH CURRENT CARRYING AT TEMPERATURE 105°C, FOR 1000h. DC 0.5A, 30V LEAVE AT ROOM TEMPERATURE FOR 2h AFTER TESTING							
COLD RESISTANCE			.VE AT -40 °C, FOR 500h .VE AT 5 TO 35°C FOR 1 TO 2h AFTER :TING.			1) CONTACT RESISTANCE: 70 mΩ MAX. SHELL RESISTANCE: 10 mΩ MAX. 2) NO DAMAGE, CRACK AND LOOSENESS OF PARTS.				-
CORROSION SALT MIST		ST EXPOSE	EXPOSED IN 5% SALT WATER SPRAY FOR 48 h.			1) CONTACT RESISTANCE: 70 mΩ MAX. SHELL RESISTANCE: 10 mΩ MAX. 2) INSULATION RESISTANCE: 25 MΩ MIN. 3) NO HEAVY CORROSION.				_
						<u> </u>	Г		Д_	<u> </u>
COUN	NT	DESCRIPT	TION OF REVISIONS		DESIG	SNED		CHECKED	DA	ATE
<u>A</u>									+	
REMARK							APPROVE)7. 25
							CHECKED)7. 25
		: <i>e</i> :					DESIGNED	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1)7. 25
Unless otherwise specified, refer to JIS C 5402. Note QT:Qualification Test AT:Assurance Test X:Applicable Test					וח	DRAWN TY. 1TO RAWING NO. ELC4-1224			07. 23	
-							140B-2015S-CVS (
HS										1/2
			ROSE ELECTRIC CO., LTD.			NO.	CL230-0533-0-50		<u> </u>	1/2

SPECIFICATIONS											
IT	EM	TEST METHOD			REQL	JIREMENTS	QT	AT			
MIXED GAS		SULFUR DIOXIDE: 10 PPM HYDROGEN SULFIDE: 3 PPM TEMPERATURE: 40±2 °C HUMIDITY: 70 TO 80 % EXPOSED FOR 96 h		SHE		NCE: 70 mΩ MAX. E: 10 mΩ MAX. SION.	X	-			
MACHINING C	DIL	SOAK IN MACINING OIL AT TEMPERATURE 85 °CFOR 100h TESTED WITH 3 DIFFERENT OILS SEPARATELY UNISOLUBLE HD, UNISOLUBLE CC AND UNICUT	:	SHE 2) INSU 3) NO F 4) NO D	LL RESISTANC ILATION RESIS ILASHOVER OF	NCE: 70 mΩ MAX. EE: 10 mΩ MAX. STANCE: 500 MΩ MIN. R BREAKDOWN. CK AND LOOSENESS	X	_			
RESISTANCE SOLDERING F		SOLDER TEMPERATURE 350 \pm 10 °C, DURATIO 3 \pm 0.5 s AND 260 \pm 5°C, DURATION10 \pm 1 s IMMERSION.		l	FORMATION OF NESS OF THE	CASE AND EXCESSIVE TERMINALS.	Х	-			
SOLDERABILI	TY	SOLDERED AT SOLDER TEMPRATURE 230 \pm 5 FOR IMMERSION, DURATION 3 \pm 0.5 s.	°C	ВЕ	% OF SOLDER ED NEW SOLD	IMMERSED AREA SHALL PER COATING.	Х	_			
Note QT:Qu	ualification Test	AT:Assurance Test X:Applicable Test	D	RAWIN	NG NO.	ELC4-12249	03-02				
				DRAWING NO.							
HS.		PECIFICATION SHEET	PART NO. F140B-2015S-CVS (CODE NO CL230-0533-0-50			2/2					
FORM HDOO11-	HIROSE ELECTRIC CO., LTD.		CODE NO OL		1 22230		U =				