





- ① HOUSING MATERIAL: GLASS-FILLED POLYMER.
- ② POST MATERIAL: COPPER ALLOY.
- ③ POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- ④ MARKING ON THIS SIDE.
- ⑤ RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- ⑥ PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.



SECTION Z-Z



PC BOARD LAYOUT

-	1-16	C	16	148714-1
-	1-16	B	16	
1,14	2-13,15,16	A	16	
POSITIONS LOADED WITH 4.93 [.194] CONTACTS	POSITIONS LOADED WITH 4.16 [.164] CONTACTS	ROWS	NO. OF LOADED POSITION	ASSY PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN D. HUMBERT 02APR2009		Tyco Electronics Corporation Harrisburg, PA 17105-3608
DIMENSIONS: mm [INCHES]		CIK D. BRATINA 02APR2009		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME D. BRATINA 02APR2009		ASSEMBLY, PIN, EUROCARD, TYPE 1/2C, 48 POSITION, 3.30 [.130] SOLDER POST W/MFBL CONTACTS
0 PLC ± -		APPLICATION SPEC		
1 PLC ± -		SIZE		RESTRICTED TO
2 PLC ± 0.13 [.005]		CAGE CODE		
3 PLC ± -		DRAWING NO		A1 00779 C=148714
4 PLC ± -		WEIGHT		
ANGLES ± -		CUSTOMER DRAWING		SCALE 5:1
		SHEET 1 OF 1		REV A