



SECTION H-H


4	MALE BACK SEAL	1	RUST RED
3	MALE REAR COVER	1	BLACK
2	MALE FRONT COVER	1	GREEN
1	MALE HOUSING	1	BLACK
No.	DESCRIPTION	QTY	COLOUR
BILL OF MATERIAL			



NOTES:


1. REFERENCE SHEET 1 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. MX150 BLADE TERMINALS PER SD-33000-001 TO BE USED WITH THIS ASSEMBLY IN CAVITIES A, B, C, E, F AND G, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 1.5mm TO 2.7mm
3. MX150L BLADE TERMINALS PER SD-19431-00* TO BE USED WITH THIS ASSEMBLY IN CAVITY D CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 3.0mm TO 5.0mm
4. MATES WITH: SRC 72+2D POWER RECEPTACLE HOUSING ASSEMBLY PART NUMBER 850847202 PER 850840700 PSD

QUALITY SYMBOLS ▽ = 0 ▽ = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				DIMENSION UNITS MM		SCALE 1:1								
	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± °		DRWN BY AJOBRIEN		DATE 2015/08/07		CHK'D BY SMCGREEVY						DATE 2015/08/13		SRC MIXED POWER MALE BLADE HOUSING ASSEMBLY PRODUCT CUSTOMER DRAWING
4 PLACES ± 3 PLACES ± 2 PLACES ± 0.2 1 PLACE ± 0.5 0 PLACES ±		APPR BY JDWALLACE		DATE 2015/09/03		DRAWING SIZE A3		THIRD ANGLE PROJECTION 		SERIES 93792		MATERIAL NUMBER 937927202		CUSTOMER GENERAL MARKET	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		EC NO.: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE		UPDATE VIEWS & NOTES 2016/01/14 2016/01/22 2016/01/26		DOCUMENT NUMBER 937921000		DOC TYPE PSD		DOC PART 000		SHEET NUMBER 2 OF 10			



SECTION J-J

4	MALE BACK SEAL	1	RUST RED
3	MALE REAR COVER	1	BLACK
2	MALE FRONT COVER	1	GREEN
1	MALE HOUSING	1	BLACK
No.	DESCRIPTION	QTY	COLOUR
BILL OF MATERIAL			



TERMINAL POSITION G3


17.8 REF.

TERMINAL POSITION A3

TERMINAL POSITION G1

11.0 REF.


TERMINAL POSITION A1



NOTES:


1. REFERENCE SHEET 1 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. MX150 BLADE TERMINALS PER SD-33000-001 TO BE USED WITH THIS ASSEMBLY IN CAVITIES B, C, E AND F, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 1.5mm TO 2.7mm
3. MX150L BLADE TERMINALS PER SD-19431-00* TO BE USED WITH THIS ASSEMBLY IN CAVITIES A, D AND G, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 3.0mm TO 5.0mm
4. MATES WITH: SRC 48+8ADG POWER RECEPTACLE HOUSING ASSEMBLY PART NUMBER 850844808 PER 850840700 PSD

QUALITY SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
	EC NO: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE	2016/01/14 2016/01/22 2016/01/26	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± ° 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.2 1 PLACE ± 0.5 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION UNITS: MM SCALE: 1:1 DRWN BY: AJOBRIEN DATE: 2015/08/07 CHK'D BY: SMCGREEVY DATE: 2015/08/13 APPR BY: JDWALLACE DATE: 2015/09/03 DRAWING SIZE: A3 THIRD ANGLE PROJECTION
	PRODUCT CUSTOMER DRAWING		SERIES: 93792 MATERIAL NUMBER: 937924808 CUSTOMER: GENERAL MARKET	
	DOCUMENT NUMBER: 937921000		DOC TYPE: PSD DOC PART: 000 SHEET NUMBER: 3 OF 10	



SECTION K-K

4	MALE BACK SEAL	1	RUST RED
3	MALE REAR COVER	1	BLACK
2	MALE FRONT COVER	1	GREEN
1	MALE HOUSING	1	BLACK
No.	DESCRIPTION	QTY	COLOUR
BILL OF MATERIAL			



TERMINAL POSITION G3


TERMINAL POSITION G1

15.0 REF.

TERMINAL POSITION A3

TERMINAL POSITION A1


15.0 REF.



NOTES:



1. REFERENCE SHEET 1 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. MX150 BLADE TERMINALS PER SD-33000-001 TO BE USED WITH THIS ASSEMBLY IN CAVITIES B, D AND F, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 1.5mm TO 2.7mm
3. MX150L BLADE TERMINALS PER SD-19431-00* TO BE USED WITH THIS ASSEMBLY IN CAVITIES A, C, E AND G, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 3.0mm TO 5.0mm
4. MATES WITH: SRC 36+12ACEG POWER RECEPTACLE HOUSING ASSEMBLY PART NUMBER 850843612 PER 850840700 PSD

QUALITY SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0 ▼ = 0 ▽ = 0 ⊠ = 0 ■ = 0 ▽ = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
	EC DESCRIPTION EC NO: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE	2016/01/14	2016/01/22	2016/01/26	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE			
					ANGULAR TOL ± °		MM		1:1			
					4 PLACES ±	DRWN BY		DATE		SRC MIXED POWER MALE BLADE HOUSING ASSEMBLY		
					3 PLACES ±	CHK'D BY		DATE				
					2 PLACES ± 0.2	SMCGREEVY		2015/08/13				
				1 PLACE ± 0.5	APPR BY		DATE					
				0 PLACES ±	JDWALLACE		2015/09/03					
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING SIZE		THIRD ANGLE PROJECTION		PRODUCT CUSTOMER DRAWING			
	B1		REV			A3				SERIES	MATERIAL NUMBER	CUSTOMER
								93792	937923612	GENERAL MARKET		
								DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER
								937921000		PSD	000	4 OF 10



SECTION L-L


4	MALE BACK SEAL	1	RUST RED
3	MALE REAR COVER	1	BLACK
2	MALE FRONT COVER	1	GREEN
1	MALE HOUSING	1	BLACK
No.	DESCRIPTION	QTY	COLOUR
BILL OF MATERIAL			



NOTES:



1. REFERENCE SHEET 1 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. MX150 BLADE TERMINALS PER SD-33000-001 TO BE USED WITH THIS ASSEMBLY IN CAVITIES B AND F, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 1.5mm TO 2.7mm
3. MX150L BLADE TERMINALS PER SD-19431-00* TO BE USED WITH THIS ASSEMBLY IN CAVITIES A, C, D, E AND G, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 3.0mm TO 5.0mm
4. MATES WITH: SRC 24+14ACDEG POWER RECEPTACLE HOUSING ASSEMBLY PART NUMBER 850842414 PER 850840700 PSD

QUALITY SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
	▽ = 0 ▽ = 0 ▽ = 0 ▼ = 0 ▽ = 0 ☒ = 0 ■ = 0 ▽ = 0	EC DESCRIPTION EC NO: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE	2016/01/14 2016/01/22 2016/01/26	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE			
ANGULAR TOL ± °				MM	1:1					
4 PLACES ±				AJOBRIEN		DATE		SRC MIXED POWER MALE BLADE HOUSING ASSEMBLY		
3 PLACES ±				SMCGREEVY		2015/08/07				
2 PLACES ± 0.2				JDWALLACE		DATE		PRODUCT CUSTOMER DRAWING		
1 PLACE ± 0.5				2015/09/03		2015/08/13				
0 PLACES ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DATE		SERIES: 93792 MATERIAL NUMBER: 937922414 CUSTOMER: GENERAL MARKET		
				DRAWING SIZE: A3		THIRD ANGLE PROJECTION				
						DOCUMENT NUMBER: 937921000 DOC TYPE: PSD DOC PART: 000 SHEET NUMBER: 5 OF 10				



SECTION M-M


4	MALE BACK SEAL	1	RUST RED
3	MALE REAR COVER	1	BLACK
2	MALE FRONT COVER	1	GREEN
1	MALE HOUSING	1	BLACK
No.	DESCRIPTION	QTY	COLOUR
BILL OF MATERIAL			



NOTES:

1. REFERENCE SHEET 1 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. MX150 BLADE TERMINALS PER SD-33000-001 TO BE USED WITH THIS ASSEMBLY IN CAVITY D CRIMPED, WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 1.5mm TO 2.7mm
3. MX150L BLADE TERMINALS PER SD-19431-00* TO BE USED WITH THIS ASSEMBLY IN CAVITY A, B, C, E, F AND G, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 3.0mm TO 5.0mm
4. MATES WITH: SRC 12+18ABCEFG POWER RECEPTACLE HOUSING ASSEMBLY PART NUMBER 850841218 PER 850840700 PSD


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
QUALITY SYMBOLS	EC NO: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	 SRC MIXED POWER MALE BLADE HOUSING ASSEMBLY					
		ANGULAR TOL ± °		MM	1:1						
▽ = 0	EC DESCRIPTION EC NO: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE	4 PLACES ±	DRWN BY	DATE		PRODUCT CUSTOMER DRAWING					
▽ = 0		3 PLACES ±	AJOBRIEN	2015/08/07							
▽ = 0		2 PLACES ± 0.2	CHK'D BY	DATE		SERIES: 93792 MATERIAL NUMBER: 937921218 CUSTOMER: GENERAL MARKET					
▼ = 0		1 PLACE ± 0.5	SMCGREEVY	2015/08/13							
▽ = 0		0 PLACES ±	APPR BY	DATE		DOCUMENT NUMBER: 937921000 DOC TYPE: PSD DOC PART: 000 SHEET NUMBER: 6 OF 10					
☒ = 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	JDWALLACE	2015/09/03							
■ = 0		DRAWING SIZE	THIRD ANGLE PROJECTION								
▽ = 0		A3									



SECTION N-N

4	MALE BACK SEAL	1	RUST RED
3	MALE REAR COVER	1	BLACK
2	MALE FRONT COVER	1	GREEN
1	MALE HOUSING	1	BLACK
No.	DESCRIPTION	QTY	COLOUR

BILL OF MATERIAL



TERMINAL POSITION G3


TERMINAL POSITION G1

11.00 REF

TERMINAL POSITION A3

TERMINAL POSITION A1


17.80 REF



NOTES:



1. REFERENCE SHEET 1 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. MX150L BLADE TERMINALS PER SD-19431-00* TO BE USED WITH THIS ASSEMBLY IN ALL CAVITIES CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 3.0mm TO 5.0mm
3. MATES WITH: SRC 0+20ABCDEFGH POWER RECEPTACLE HOUSING ASSEMBLY PART NUMBER 850840020 PER 850840700 PSD

QUALITY SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					
	▽ = 0	▽ = 0	▽ = 0	▽ = 0		
▽ = 0	EC NO: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	
▽ = 0		ANGULAR TOL ± °		MM	1:1	
▽ = 0		4 PLACES ±	AJOBRIEN		DATE	2015/08/07
▽ = 0		3 PLACES ±	CHK'D BY		DATE	
▽ = 0		2 PLACES ± 0.2	SMCGREEVY		DATE	2015/08/13
▽ = 0		1 PLACE ± 0.5	APPR BY		DATE	
▽ = 0	0 PLACES ±	JDWALLACE		DATE	2015/09/03	
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE	THIRD ANGLE PROJECTION		
▽ = 0	B1	REV	A3			
			molex			
			SRC MIXED POWER MALE BLADE HOUSING ASSEMBLY			
			PRODUCT CUSTOMER DRAWING			
SERIES		MATERIAL NUMBER		CUSTOMER		
93792		937920020		GENERAL MARKET		
DOCUMENT NUMBER			DOC TYPE	DOC PART	SHEET NUMBER	
937921000			PSD	000	7 OF 10	



SECTION P-P


4	MALE BACK SEAL	1	RUST RED
3	MALE REAR COVER	1	BLACK
2	MALE FRONT COVER	1	GREEN
1	MALE HOUSING	1	BLACK
No.	DESCRIPTION	QTY	COLOUR
BILL OF MATERIAL			





NOTES:

1. REFERENCE SHEET ONE FOR UNSPECIFIED NOTES AND DIMENSIONS
2. MX150 BLADE TERMINAL PER SD-33000-001 TO BE USED WITH THIS ASSEMBLY IN CAVITIES A, C, D, E AND G, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 1.5mm TO 2.7mm
3. SRC BLADE TERMINALS PER 936420010 PSD MAY BE USED WITH THIS ASSEMBLY IN CAVITIES B AND F CRIMPED WITH 2.5mm² (13AWG) CABLE INSULATION OUTER DIAMETER IN THE RANGE 2.7mm TO 3.0mm
4. MATES WITH: SRC2 84 PIN 2.5 RECEPTACLE HOUSING ASSEMBLY PART NUMBER 932878425 PER 932870001 PSD

QUALITY SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
	EC DESCRIPTION EC NO: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE	2016/01/14	2016/01/22	2016/01/26	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE	
				ANGULAR TOL ± °		MM		1:1		
4 PLACES ±		AJOBRIEN		DATE		2015/08/07		SRC MIXED POWER MALE BLADE HOUSING ASSEMBLY		
3 PLACES ±		CHK'D BY		DATE		SMCGREEVY 2015/08/13		PRODUCT CUSTOMER DRAWING		
2 PLACES ± 0.2	APPR BY		DATE		JDWALLACE 2015/09/03		SERIES		MATERIAL NUMBER	
1 PLACE ± 0.5	DRAWING SIZE		THIRD ANGLE PROJECTION		A3		93792		937928425	
0 PLACES ±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						CUSTOMER		GENERAL MARKET	
							DOCUMENT NUMBER		DOC TYPE	
							937921000		PSD	
							DOC PART		SHEET NUMBER	
							000		8 OF 10	



SECTION R-R




No.	DESCRIPTION	QTY	COLOUR
4	MALE BACK SEAL	1	RUST RED
3	MALE REAR COVER	1	BLACK
2	MALE FRONT COVER	1	GREEN
1	MALE HOUSING	1	BLACK

BILL OF MATERIAL


- NOTES:**
- REFERENCE SHEET 1 FOR UNSPECIFIED NOTES AND DIMENSIONS
 - MX150 BLADE TERMINALS PER SD-33000-001 TO BE USED WITH THIS ASSEMBLY IN CAVITIES C, D AND E, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 1.5mm TO 2.7mm
 - SRC BLADE TERMINALS PER 936420010 PSD MAY BE USED WITH THIS ASSEMBLY IN CAVITIES B AND F, CRIMPED WITH 2.5mm² (13AWG) CABLE INSULATION OUTER DIAMETER IN THE RANGE 2.7mm TO 3.0mm
 - MX150L BLADE TERMINALS PER SD-19431-00* TO BE USED WITH THIS ASSEMBLY IN CAVITIES A AND G, CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 3.0mm TO 5.0mm
 - MATES WITH: SRC 60+6AG POWER 2.5 RECEPTACLE HOUSING ASSEMBLY PART NUMBER 850846025 PER 850840700 PSD

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
QUALITY SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0 ▼ = 0 ▽ = 0 ▽ = 0 ⊠ = 0 ■ = 0 ▽ = 0	EC DESCRIPTION EC NO: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE	2016/01/14 2016/01/22 2016/01/26	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE							
			ANGULAR TOL ± °		MM	1:1							
			4 PLACES ±	3 PLACES ±	2 PLACES ± 0.2	1 PLACE ± 0.5						0 PLACES ±	DRWN BY
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		A3		THIRD ANGLE PROJECTION		PRODUCT CUSTOMER DRAWING				
			SERIES		MATERIAL NUMBER		CUSTOMER						
93792		937926025		GENERAL MARKET									
DOCUMENT NUMBER				DOC TYPE		DOC PART		SHEET NUMBER					
937921000				PSD		000		9 OF 10					



SECTION T-T

4	MALE BACK SEAL	1	RUST RED
3	MALE REAR COVER	1	BLACK
2	MALE FRONT COVER	1	GREEN
1	MALE HOUSING	1	BLACK
No.	DESCRIPTION	QTY	COLOUR
BILL OF MATERIAL			



TERMINAL POSITION G12


TERMINAL POSITION G7

11.0 REF

TERMINAL POSITION A6

TERMINAL POSITION A1

11.0 REF



NOTES:

1. REFERENCE SHEET 1 FOR UNSPECIFIED NOTES AND DIMENSIONS
2. MX150 BLADE TERMINALS PER SD-33000-001 TO BE USED WITH THIS ASSEMBLY IN ALL CAVITIES CRIMPED WITH CABLE INSULATION OUTER DIAMETER IN THE RANGE 1.5mm TO 2.7mm
3. MATES WITH SRC2 84 PIN RECEPTACLE HOUSING ASSEMBLY PART NUMBER 932870001 PER 932870001 PSD

QUALITY SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0 ▼ = 0 ▽ = 0 ⊠ = 0 ■ = 0 ▽ = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	EC DESCRIPTION EC NO: 102579 DRWN: KREILLY CHK'D: SMCGREEVY APPR: JDWALLACE	2016/01/14	2016/01/22	2016/01/26	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE			
					ANGULAR TOL ± °		MM	1:1			
		4 PLACES	±		DRWN BY	DATE	AJOBRIEN		2015/08/07		
		3 PLACES	±		CHK'D BY	DATE	SMCGREEVY		2015/08/13		
		2 PLACES	±	0.2	APPR BY	DATE	JDWALLACE		2015/09/03		
	1 PLACE	±	0.5	DRAWING SIZE	THIRD ANGLE PROJECTION	A3					
	0 PLACES	±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
	SERIES		MATERIAL NUMBER		CUSTOMER						
	93792		937928400		GENERAL MARKET						
DOCUMENT NUMBER			DOC TYPE		DOC PART	SHEET NUMBER					
937921000			PSD		000	10 OF 10					