

Circus CIR025725



CIR T100WH 122 840 5D CLA NA

Circus is specially designed to withstand the rigors of everyday use in industrial and manufacturing environments as well as cosmetology, health spas, beauty salons and clean room applications where FOD is a concern. No knobs to tighten, nothing to adjust. A 5-diopter white Old item no. 17981WT lens provides distortion-free viewing. The highly- flexible, self-balancing shade and 45" internal spring arm allows



Electrical data

Maximum frequency (Hz)	6 0
Minimum frequency (Hz)	5 0
Maximum voltage (V)	1 2 0
Voltage from (V)	1 0 0
Total consumption (W)	2 3

Optic

Primary Lens (D)	5
Working distance (mm)	2 0 0
Magnification (X)	2. 2 5

Dimensions

Net weight (kg)	5, 6 9
Arm length (in.)	3 9

Lightsource

Number of lamps	1
Lamp power (W)	2 2
Lamp base	2 G X 1 3
Lightsource	Fluorescent circular T5-C

Technical data

Maximum ambient temperature (°C)	2 5
IP classification	2 0

Termination

Plug type	N A
Cord length (ft)	6

Body

Body color	Grey
------------	------

Circus
CIR025725



CIR T100WH 122 840 5D CLA NA

Circus is specially designed to withstand the rigors of everyday use in industrial and manufacturing environments as well as cosmetology, health spas, beauty salons and clean room applications where FOD is a



Photos



Circus
CIR025725



CIR T100WH 122 840 5D CLA NA

Circus is specially designed to withstand the rigors of everyday use in industrial and manufacturing environments as well as cosmetology, health spas, beauty salons and clean room applications where FOD is a concern. No knobs to tighten, nothing to adjust. A 5-diopter white crown optical-quality glass lens provides distortion-free viewing. The self-balancing shade and 45" internal spring arm allows



Drawings

