

## Specification Sheet

Part Number: 170-03126



Braided Sleeving, Split Wrap, .5" Dia, PET, Black, 150 ft/bulk reel

**Article Number**

170-03126

**Type**

BSPSW120B

**Color**

Black (BK)

### Features & Benefits

- Split wrap design installs quickly, saving assembly time and future accessibility without disassembly.
- Unique construction retains shape and rigidity throughout unrolling.
- Easy open design allows quick assembly, future access, and ability to apply protective sleeving post assembly or post installation situations.

**Quantity Per**

reel

### Product Description

A lateral split, semi-rigid and flame retardant braided sleeving configuration used when ease of installation and repeat access to wire bundle is required. The lateral split allows the sleeving to open and accommodate a variety of bundling requirements. The 25% edge overlap rolls back over connectors and splices without exposing the bundled wires.

|                                       |   |
|---------------------------------------|---|
| <b>Short Description</b>              | Braided Sleeving, Split Wrap, .5" Dia, PET, Black, 150 ft/bulk reel |
| <b>Global Part Name</b>               | BSPSW120B-PET-BK  |
| <b>Length L (Imperial)</b>            | 150.0   |
| <b>Length L (Metric)</b>              | 45.7  |
| <b>Bundle Diameter Min (Imperial)</b> | 0.1   |
| <b>Bundle Diameter Min (Metric)</b>   | 2.54  |
| <b>Bundle Diameter Max (Imperial)</b> | 0.5   |
| <b>Bundle Diameter Max (Metric)</b>   | 12.7  |
| <b>Diameter D (imperial)</b>          | 0.5   |
| <b>Diameter D (metric)</b>            | 12.7  |
| <b>Nominal Diameter (Imperial)</b>    | 1/2   |
| <b>Nominal Diameter (Metric)</b>      | 12.7  |
| <b>Wall Thickness WT (Imperial)</b>   | 0.025   |
| <b>Wall Thickness WT (Metric)</b>     | 0.64  |
| <b>Material</b>                       | Polyester (PET)   |

**Material Shortcut**

PET

**Flammability**

UL 94 V0

**Halogen free**

Yes

**Operating Temperature (Metric)**

-94°F to +257°F (-70°C to +120°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**UL Recognized (US)**

Yes

**UL Recognized (US and Canada)**

Yes

**Package Quantity(Imperial)**

150

**Package Quantity (Metric)**

45.72

**Customs Number**

3926909987

**Weight (Metric)**

0.95

**Weight (Imperial)**

2.1