

| | 2 | | | | | 1 | | | |
|----|------|---|-----|--------------|-------------|---|-----------|-----|------|
| | DIST | | | | REVISIONS | | | | |
| GΡ | 00 | Р | LTR | | DESCRIPTION | | DATE | DWN | APVD |
| | | | А | FIRST ACTIVE | | | 19MAR2014 | ΗW | МС |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | 1 | | |

△ CAGE MATERIAL: 0.25 THICK NICKEL SILVER. SPRING MATERIAL: COPPER ALLOY

3. MATES WITH QSFP MSA COMPATIBLE TRANSCEIVER.

A REFERENCE APPLICATION SPEC 114-13217 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.

 \triangle datum and basic dimensions established by customers.


 \triangle DATUM -A- IS TOP SURFACE OF THE HOST BOARD.

SURFACE TRACES PERMITTED WITHIN THIS AREA EXCEPT WHERE CAGE STANDOFFS, SHOWN IN DETAIL J, CONTACT PC BOARD.

DATE CODE (YYWWD) MARKED APPROXIMATELY AS SHOWN.


A SPRING FINISH: 0.8μm MIN TIN OVER 0.8μm MIN NICKEL, NON-PLATED EDGES PERMISSIBLE.

II. PRODUCT HAS NOT COMPLETED QUALIFICATION TESTING.




| | | | _ | P A R T N U M B E R |
|---|--|---|---------------------------|---|
| С | ONTROLLED DOCUMENT. | DWN IIAPRI3 HANK WU снк IIAPRI3 JASON YANG | = = 71 | TE Connectivity |
| | OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- | APVD IIAPRI3 ALEX CAI PRODUCT SPEC | CAGE ASSEMBLY | , THRU BEZEL, QSFP - |
| | 2 PLC ±0.20 3 PLC ±- 4 PLC ±- ANGLES ±- | 08-2286 APPLICATION SPEC 4- 32 7 | SIZE CAGE CODE DRAWING NO | - RESTRICTED TO |
| | FINISH | weight _ Customer Drawing | A 00779 C - 217 | 05 9 - ^{scale} 5: ^{sheet} 0 ^f 3 ^{Rev} A |

2|705|9-|



4805 (3/11)

| THIS | DRAWING | ΙS | А | , |
|---------|------------|----|---|---|
| | | | | |
| | DIMENSIONS | : | | |
| | mm | | | |
| | ÷ | | |] |
| MATERIA | L | | | |




| С | ONTROLLED DOCUMENT. | DWN LIAPR HANK WU CHK LIAPR | |
|----------------|---|--|--|
| | TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- | JASON YANG APVD IIAPR ALEX CAI PRODUCT SPEC I08-2286 | ³ NAME CAGE ASSEMBLY, THRU BEZEL, QSFP - |
| ·] | 2 PLC ±0.20 3 PLC ±- 4 PLC ±- ANGLES ±- | APPLICATION SPEC 4- 32 7 | SIZE CAGE CODE DRAWING NO RESTRICTED TO |
| | FINISH | weight _ Customer Drawing | $A = \begin{bmatrix} 0 & 0 & 7 & 7 & 9 \\ \hline C & - & 2 & 0 & 7 & 0 \\ \hline SCALE & 5 & - & 5 & - \\ \hline SHEET & 2 & 0F & 3 \\ \hline C & - & 2 & 0F \\ \hline SHEET & 2 & 0F & 3 \\ \hline C & - & 0F & 3 \\ \hline$ |


В

С

D



4805 (3/11)



D

В

| CONTROLLED DOCUMENT. | | dwn HANK WU | IIAPRI3 | _ _ | TE Connectiv | i + v |
|----------------------|---|------------------------------|---------|-------------------------|-------------------|---------------|
| | | CHK JASON YANG | IIAPRI3 | | | тту |
| | TOLERANCES UNLESS OTHERWISE SPECIFIED: | APVD ALEX CAI | IIAPRI3 | E CAGE ASSEMBLY | , THRU BEZEL, G |).S.F.P |
| | 0 PLC ±- 1 PLC ±- | PRODUCT SPEC | | CROL ROOLMBLI | - | * 0 1 1 |
| -1 | 2 PLC ±0.20 | 108-2286 APPLICATION SPEC | | | - | |
| | 4 PLC ±- | 4- 32 7 | | ZE CAGE CODE DRAWING NO | | RESTRICTED TO |
| | ANGLES ±- FINISH | WEIGHT - | | 100779 C = 21 | 70519 | - |
| | | Customer Draw | ing | | SCALE 5:1 SHEET 3 | F 3 REV A |